



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: H04N 7/16	A1	(11) International Publication Number: WO 00/11869 (43) International Publication Date: 02 March 2000 (02.03.2000)
(21) International Application Number: PCT/US99/19051 (22) International Filing Date: 20 August 1999 (20.08.1999) (30) Priority Data: 60/097,538 21 August 1998 (21.08.1998) US not furnished 30 July 1999 (30.07.1999) US (60) Parent Application or Grant UNITED VIDEO PROPERTIES, INC. [/]; (). ELLIS, Michael, D. [/]; (). LEMMONS, Thomas, R. [/]; (). THOMAS, William, L. [/]; (). TREYZ, G., Victor ; ().		Published
(54) Title: CLIENT-SERVER ELECTRONIC PROGRAM GUIDE (54) Titre: GUIDE DE PROGRAMMES ELECTRONIQUE CLIENT-SERVEUR (57) Abstract <p>A client-server interactive television program guide system is provided. An interactive television program guide client is implemented on user television equipment. The interactive television program guide provides users with an opportunity to define expressions that are processed by the program guide server. The program guide server may provide program guide data, schedules reminders, schedules program recordings, and parentally locks programs based on the expressions. Users' viewing histories may be tracked. The program guide server may analyze the viewing histories and generates viewing recommendations, targets advertising, and collects program ratings information based on the viewing histories.</p> (57) Abrégé <p>L'invention concerne un système de guide de programmes de télévision interactif entre un client et un serveur. Un client de guide de programmes de télévision interactif est mis en application sur l'installation télévisuelle d'un utilisateur. Ce guide de programmes permet aux utilisateurs de définir des expressions traitées par le serveur de guide de programmes. Ce serveur peut produire des données de guide de programmes, des rappels de programmation, des enregistrements de programmes et, de même, verrouille des programmes en fonction des expressions. Il est possible de rechercher l'historique de visualisation des utilisateurs. Le serveur de guide de programmes peut analyser les historiques de visualisation et générer des recommandations de visualisation, des publicités ciblées et recueillir des informations d'évaluation de programmes en fonction de ces historiques de visualisation.</p>		

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : H04N 7/16		A1	(11) International Publication Number: WO 00/11869
			(43) International Publication Date: 2 March 2000 (02.03.00)
(21) International Application Number: PCT/US99/19051			(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 20 August 1999 (20.08.99)			
(30) Priority Data: 60/097,538 21 August 1998 (21.08.98) US not furnished 13 August 1999 (13.08.99) US			
(71) Applicant: UNITED VIDEO PROPERTIES, INC. [US/US]; 7140 South Lewis Avenue, Tulsa, OK 74136 (US).			
(72) Inventors: ELLIS, Michael, D.; 1300 Kingwood Place, Boulder, CO 80304 (US). LEMMONS, Thomas, R.; Route 2, Box 1178, Sand Springs, OK 74063 (US). THOMAS, William, L.; 11611 South 70th East Avenue, Bixby, OK 74008 (US).			
(74) Agents: TREYZ, G., Victor et al.; Fish & Neave, 1251 Avenue of the Americas, New York, NY 10020 (US).			

Published
With international search report.

(54) Title: CLIENT-SERVER ELECTRONIC PROGRAM GUIDE



(57) Abstract

A client-server interactive television program guide system is provided. An interactive television program guide client is implemented on user television equipment. The interactive television program guide provides users with an opportunity to define expressions that are processed by the program guide server. The program guide server may provide program guide data, schedules reminders, schedules program recordings, and parentally locks programs based on the expressions. Users' viewing histories may be tracked. The program guide server may analyze the viewing histories and generates viewing recommendations, targets advertising, and collects program ratings information based on the viewing histories.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	BS	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LJ	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Description

5

10

15

20

25

30

35

40

45

50

55

This Page Blank (uspto)

5

10

15

CLIENT-SERVER ELECTRONIC PROGRAM GUIDE

20

25

Background of the Invention

This invention relates to interactive television program guide systems, and more particularly, to interactive television program guide systems based on client-server arrangements.

Cable, satellite, and broadcast television systems provide viewers with a large number of television channels. Users have traditionally consulted printed television program schedules to determine the programs being broadcast at a particular time. More recently, interactive television program guides have been developed that allow television program information to be displayed on a user's television. Interactive television program guides, which are typically implemented on set-top boxes, allow users to navigate through television program listings using a remote control. In a typical program guide, various groups of television program listings are displayed in predefined or user-selected categories. Program listings are typically displayed in a grid or

55

5

- 2 -

10

table. On-line program guides have been proposed that require users to navigate the Internet to access program listings.

15

Client-server based program guides have been proposed in which program listings are stored on a server at a cable system headend. The server provides the program listings to program guide clients implemented on the set-top boxes of a number of users associated with each headend. As users navigate within a program listings grid, the server provides program listings to the client for display. Such systems, may be limited in their functionality due to their limited use of the resources of the server.

20

25

It is therefore an object of the present invention to provide an interactive television program guide system in which server resources are used to provide enhanced program guide features not provided by conventional set-top-box-based or client-server-based program guides.

30

35

20 Summary of the Invention

This and other objects of the present invention are accomplished in accordance with the principles of the present invention by providing a client-server based interactive television program guide system in which a main facility (e.g., a satellite uplink facility or a facility that feeds such an uplink facility) provides data from one or more data sources to a number of television distribution facilities such as cable system headends, broadcast distribution facilities, satellite television distribution facilities, or other suitable distribution facilities. Some of the data sources may be located at

40

45

30

50

55

5

- 3 -

different facilities and have their data provided to
the main facility for localization and distribution or
may provide their data to the television distribution
facilities directly. The data provided to the
5 television distribution facilities includes television
15 programming data (e.g., titles, channels, content
information, rating information, program identifiers,
series identifiers, or any other information associated
with television programming), and other program guide
20 data for additional services other than television
program listings (e.g., weather information, associated
Internet web links, computer software, etc.). The main
facility (and other sources) may provide the program
25 guide data to the television distribution facilities
15 via a satellite link, a telephone network link, a cable
or fiber optic link, a microwave link, an Internet
link, a combination of such links, or any other
30 suitable communications link.

Each television distribution facility has a
20 program guide server. If desired, program guide
35 servers may also be located at cable system network
nodes or other facilities separate from the television
distribution facilities or other distribution
facilities. Each program guide server stores the
40 program guide data provided by the main facility and
provides access to the program guide data to program
guide clients implemented on the user television
equipment of a number of users associated with each
45 television distribution facility. The program guide
30 servers may also store user data, such as user
preference profiles, parental control settings, record
and reminder settings, viewing history, and other
50 suitable data.

55

5

- 4 -

10 Providing program guide data with a program
guide server and storing user data on the server may
provide users with opportunities to perform various
functions that may enhance the users' television
5 viewing experience. Users may, for example, set user
15 preference profiles or other favorites that are stored
by the program guide server and used by the server to
customize the program guide viewing experience for the
user. The program guide server may filter program
20 guide data based on the user preference profiles. Only
data that is of interest to the user may then be
provided to the guide client, thereby tending to
25 minimize the memory requirements of the user's
television equipment and lessen the bandwidth
15 requirements of the local distribution network.

30 A client-server based architecture may also
provide users with the ability to search and sort
through program related information in ways that might
not otherwise be possible due to the limited processing
20 and storage capabilities of the users' television
35 equipment. If desired, users may be provided with
access to program guide data without requiring them to
navigate the Internet. Users may, for example, define
sophisticated boolean or natural language expressions
40 25 having one or more criteria for searching through and
sorting program guide data, scheduling reminders,
automatically recording programs and parentally
controlling programs. The criteria may also be derived
45 by the program guide server or program guide client
30 from user profiles or by monitoring usage of the
program guide. The criteria may be stored on the
program guide server. Users may be provided with an
50

55

5

- 5 -

10

opportunity to access, modify, or delete the expressions.

15

The program guide server may also track the users' viewing histories to provide a user-customized program guide experience. Programs or series of episodes users have watched may be identified and used by the program guide, for example, to inform users when there are showings in the series that the users have not watched. The program guide may, for example, provide viewing recommendations based on a user's viewing history and, if appropriate, on user preference profiles or other criteria stored by the program guide server. The program guide may also target advertisements toward users based on the viewing histories or criteria, and may track the viewing of programs to generate viewership ratings.

20

25

30

Further features of the invention, its nature and various advantages will be more apparent from the accompanying drawings and the following detailed description of the preferred embodiments.

35

Brief Description of the Drawings

40

FIG. 1 is a schematic block diagram of an illustrative system in accordance with the present invention.

25

FIGS. 2a, 2b, and 2c show illustrative arrangements for the interactive program guide equipment of FIG. 1 in accordance with the principles of the present invention.

45

FIG. 3 is an illustrative schematic block diagram of a user television equipment of FIGS. 2a and 2b in accordance with the principles of the present invention.

50

55

5

- 6 -

10

FIG. 4 is a generalized schematic block diagram of portions of the illustrative user television equipment of FIG. 3 in accordance with the principles of the present invention.

15

5 FIG. 5 is an illustrative main menu screen in accordance with the principles of the present invention.

20

FIG. 6 is an illustrative program listings by time screen in accordance with the principles of the present invention.

25

FIG. 7 is an illustrative program listings by channel screen in accordance with the principles of the present invention.

30

FIGS. 8a-8c are illustrative program listings by category screens in accordance with the principles of the present invention.

35

FIG. 9a is an illustrative boolean type criteria screen in accordance with the principles of the present invention.

20 FIG. 9b is an illustrative natural language criteria screen in accordance with the principles of the present invention.

40

FIG. 10 shows an illustrative agents screen in accordance with the principles of the present invention.

45

FIG. 11 is an illustrative program listings screen in which program listings found according to the illustrative expressions of FIGS. 9a and 9b are displayed in accordance with the principles of the present invention.

50

FIG. 12 shows an illustrative setup screen in accordance with the principles of the present invention.

55

5

- 7 -

FIGS. 13a-13f show illustrative preference profile screens in accordance with the principles of the present invention.

FIG. 14 shows an illustrative profile activation screen in accordance with the principles of the present invention.

FIG. 15 shows a table containing an illustrative list of programs that might be available to a user after defining the preference profiles of FIGS. 13a-13f in accordance with the principles of the present invention.

FIGS. 16a-16c are illustrative program listings screens that may be displayed according to the preference profiles of FIGS. 13a-13f in accordance with the principles of the present invention.

FIGS. 17a and 17b show illustrative criteria screens in accordance with the principles of the present invention.

FIGS. 18 and 19 show illustrative program reminder lists generated according to the expressions of FIGS. 17a and 17b in accordance with the principles of the present invention.

FIGS. 20a and 20b show an illustrative viewer recommendation overlay, in accordance with the principles of the present invention.

FIG. 20c shows an illustrative additional information screen in accordance with the principles of the present invention.

FIG. 21 is a flowchart of illustrative steps involved in providing users with an opportunity to define preference profiles and access program guide data according to the preference profiles in accordance with the principles of the present invention.

55

5

- 8 -

10

FIG. 22 is a flowchart of illustrative steps involved in providing users with an opportunity to search program guide data, other information, and videos in accordance with the principles of the present invention.

15

FIG. 23 is a flowchart of illustrative steps involved in processing and using expressions in accordance with the principles of the present invention.

20

FIG. 24 is a flowchart of illustrative steps involved in tracking and using viewing histories in accordance with the principles of the present invention.

25

Detailed Description of the Preferred Embodiments

15 An illustrative system 10 in accordance with the present invention is shown in FIG. 1. Main facility 12 may provide program guide data from data source 14 to interactive television program guide equipment 17 via communications link 18. There may be multiple program guide data sources in main facility 12 but only one has been shown to avoid over-complicating the drawing. If desired, program guide data sources may be located at facilities separate from main facility 12 such as at local information services 15, and may have their data provided to main facility 12 for localization and distribution. Data sources 14 may be any suitable computer or computer-based system for obtaining data (e.g., manually from an operator, electronically via a computer network or other connection, or via storage media) and placing the data into electronic form for distribution by main facility 12. Link 18 may be a satellite link, a telephone

30

35

40

45

50

55

5

- 9 -

network link, a cable or fiber optic link, a microwave link, an Internet link, a combination of such links, or any other suitable communications link. Video signals may also be transmitted over link 18 if desired.

5 Local information service 15 may be any
15 suitable facility for obtaining data particular to a localized region and providing the data to main facility 12 or interactive television program guide equipment 17 over communications links 41. Local
20 information service 15 may be, for example, a local weather station that measures weather data, a local newspaper that obtains local high school and college sporting information, or any other suitable provider of
25 information. Local information service 15 may be a local business with a computer for providing main facility 12 with, for example, local ski reports, fishing conditions, menus, etc., or any other suitable
30 provider of information. Link 41 may be a satellite link, a telephone network link, a cable or fiber optic link, a microwave link, an Internet link, a combination
20 of such links, or any other suitable communications link. Additional data sources 14 may be located at other facilities for providing main facility 12 with non-localized data (e.g., non-localized program guide
35 data) over link 41.

40 The program guide data transmitted by main facility 12 to interactive television program guide equipment 17 may include television programming data
45 (e.g., program identifiers, times, channels, titles, descriptions, series identifiers, etc.) and other data
30 for services other than television program listings (e.g., help text, pay-per-view information, weather
50 information, sports information, music channel

55

5

- 10 -

information, associated Internet web links, associated software, etc.). There are preferably numerous pieces or installations of interactive television program guide equipment 17, although only one is shown in

5 FIG. 1 to avoid over-complicating the drawing.

15 Program guide data may be transmitted by main facility 12 to interactive television program guide equipment 17 using any suitable approach. Data files may, for example, be encapsulated as objects and
20 transmitted using a suitable Internet based addressing scheme and protocol stack (e.g., a stack which uses the user datagram protocol (UDP) and Internet protocol (IP)). Systems in which program guide data is
25 transmitted from a main facility to television distribution facilities are described, for example, in Gollahon et al. U.S. patent application Serial No. 09/332,624, filed June 11, 1999 (Attorney Docket No. UV-106), which is hereby incorporated by reference
30 herein in its entirety.

20 A client-server based interactive television program guide is implemented on interactive television program guide equipment 17. Three illustrative arrangements for interactive television program guide equipment 17 are shown in FIGS. 2a-2c. FIG. 2a shows
35 an illustrative arrangement for interactive television program guide equipment 17 in which a program guide server obtains program guide data directly from main facility 12. FIG. 2b shows an illustrative arrangement
40 for interactive television program guide equipment 17 in which a program guide server obtains program guide data from main facility 12 or some other facility (e.g., local information service 15) via the Internet.
45 In either of these approaches, users may be provided
50

55

5

- 11 -

10

with opportunities to access program guide data without having to navigate the Internet, if desired. As shown in FIGS. 2a and 2b, interactive program guide

15

5 distribution facility 16 and user television equipment 22.

20

Television distribution facility 16 may have program guide distribution equipment 21 and program guide server 25. Distribution equipment 21 is equipment suitable for providing program guide data from program guide server 25 to user television equipment 22 over communications path 20. Distribution equipment 21 may include, for example, suitable transmission hardware for distributing program guide data on a television channel sideband, in the vertical blanking interval of a television channel, using an in-band digital signal, using an out-of-band digital signal, over a dedicated computer network or Internet link, or by any other data transmission technique suitable for the type of communications path 20.

25

30

35

40

45

15 Analog or digital video signals (e.g., television programs) may also be distributed by distribution equipment 21 to user television equipment 22 over communications paths 20 on multiple analog or digital television channels. Alternatively, videos may be distributed to user television equipment 22 from some other suitable distribution facility, such as a cable system headend, a broadcast distribution facility, a satellite television distribution facility, or any other suitable type of television distribution facility.

50

Communications paths 20 may be any communications paths suitable for distributing program

55

5

- 12 -

10

15

20

25

30

guide data. Communications paths 20 may include, for example, a satellite link, a telephone network link, a cable or fiber optic link, a microwave link, an Internet link, a data-over-cable service interface specification (DOCSIS) link, a combination of such links, or any other suitable communications link. Communications paths 20 preferably have sufficient bandwidth to allow television distribution facility 16 or another distribution facility to distribute television programming to user television equipment 22. There are typically multiple pieces of user television equipment 22 and multiple associated communications paths 20, although only one piece of user television equipment 22 and communications path 20 are shown in FIGS. 2a and 2b to avoid over-complicating the drawings. If desired, television programming and program guide data may be provided over separate communications paths.

35

40

45

Program guide server 25 may be based on any suitable combination of server software and hardware. Program guide server 25 may retrieve program guide data or video files from storage device 56 in response to program guide data or video requests generated by an interactive television program guide client implemented on user television equipment 22. As shown in FIGS. 2a and 2b, program guide server 25 may include processing circuitry 54 and storage device 56. Processing circuitry 54 may include any suitable processor, such as a microprocessor or group of microprocessors, and other processing circuitry such as caching circuitry, video decoding circuitry, direct memory access (DMA) circuitry, input/output (I/O) circuitry, etc.

50

55

5

- 13 -

Storage device 56 may be a memory or other
storage device, such as random access memory (RAM),
flash memory, a hard disk drive, etc., that is suitable
for storing the program guide data transmitted to
television distribution facility 16 by main facility
12. User data, such as user preference profiles,
preferences, parental control settings, record and
reminder settings, viewing histories, and other
suitable data may also be stored on storage device 56
by program guide server 25. Program guide data and
user data may be stored on storage device 56 in any
suitable format (e.g., a Structured Query Language
(SQL) database). If desired, storage 56 may also store
video files for playing back on demand.

Processing circuitry 54 may process requests
for program guide data by searching the program guide
data stored on storage device 56 for the requested
data, retrieving the data, and providing the retrieved
data to distribution equipment 21 for distribution to
user television equipment 22. Processing circuitry 54
may also process storage requests generated by the
program guide client that direct program guide
server 25 to store user data. Alternatively, program
guide server 25 may distribute program guide data to
and receive user data from user television equipment 22
directly. If communications paths 20 include an
Internet link, DOCSIS link, or other high speed
computer network link (e.g., 10BaseT, 100BaseT,
10BaseF, T1, T3, etc.), for example, processing
circuitry 54 may include circuitry suitable for
transmitting program guide and user data and receiving
program guide data and storage requests over such a
link.

55

5

- 14 -

10

15

20

25

30

35

40

45

50

Program guide server 25 may communicate with user television equipment 22 using any suitable communications protocol. For example, program guide server 25 may use a communications protocol stack that includes transmission control protocol (TCP) and Internet protocol (IP) layers, sequenced packet exchange (SPX) and internetwork packet exchange (IPX) layers, Appletalk transaction protocol (ATP) and datagram delivery protocol (DDP) layers, DOCSIS, or any other suitable protocol or combination of protocols. User television equipment 22 may also include suitable hardware for communicating with program guide server 25 over communications paths 20 (e.g., Ethernet cards, modems (digital, analog, or cable), etc.)

The program guide client on user television equipment 22 may retrieve program guide data from and store user data on program guide server 25 using any suitable client-server based approach. The program guide may, for example, pass SQL requests as messages to program guide server 25. In another suitable approach, the program guide may invoke remote procedures that reside on program guide server 25 using one or more remote procedure calls. Program guide server 25 may execute SQL statements for such invoked remote procedures. In still another suitable approach, client objects executed by the program guide may communicate with server objects executed by program guide server 25 using, for example, an object request broker (ORB). This may involve using, for example, Microsoft's Distributed Component Object Model (DCOM) approach. As used herein, "record requests" and "storage requests" are intended to encompass any of these types of inter-process or inter-object

55

5

- 15 -

10

communications, or any other suitable type of inter-process or inter-object communication.

15

FIG. 2b shows an illustrative arrangement for interactive television program guide equipment 17 in which program guide server 25 obtains program guide data via the Internet. The program guide data obtained by program guide server 25 may be provided by main facility 12 or from some other source (e.g., local information service 15) and made available on the Internet. Internet service system 61 may use any suitable combination of hardware and software capable of providing program guide data from the Internet to program guide server 25 using an Internet based approach (e.g., using the HyperText Transfer Protocol (HTTP), File Transfer Protocol (FTP), etc.). FIG. 2b shows Internet service system 61 as being encompassed by television distribution facility 16. If desired, Internet service system 61 may be located at a facility that is separate from television distribution facility 16. Internet service system 61 may, for example, be located at main facility 12 or at some other Internet node suitable for providing program guide data from the Internet to program guide server 25. The functionality of Internet service system 61 and program guide server 25 may be integrated into one system if desired.

25

30

35

40

45

Another suitable arrangement for interactive television program guide equipment 17 is shown in FIG. 2c. Interactive television program guide equipment 17 may include, for example, television distribution facility 16 having program guide server 25 and Internet service system 61. A program guide client application may run on personal computer 23. The client may access

50

55

5

- 16 -

program guide server 25 via Internet service system 61
and communications path 20. Personal computer 23 may
include processing circuitry 27, memory 29, storage
device 31, communications device 35, and monitor 39.

Processing circuitry 27 may include any
suitable processor, such as a microprocessor or group
of microprocessors, and other processing circuitry such
as caching circuitry, direct memory access (DMA)
circuitry, input/output (I/O) circuitry, etc.
Processing circuitry 27 may also include suitable
circuitry for displaying television programming.
Personal computer 23 may include, for example, a PC/TV
card. Memory 29 may be any suitable memory, such as
random access memory (RAM) or read only memory (ROM),
that is suitable for storing the computer instructions
and data. Storage device 31 may be any suitable
storage device, such as a hard disk, floppy disk drive,
flash RAM card, recordable CD-ROM drive, or any other
suitable storage device. Communications device 35 may
be any suitable communications device, such as a
conventional analog modem or cable modem.

An illustrative arrangement for user
television equipment 22 of FIGS. 2a and 2b is shown in
FIG. 3. User television equipment 22 of FIG. 3
receives analog video or a digital video stream and
data, program guide data, or any suitable combination
thereof, from television distribution facility 16 (FIG.
1) at input 26. During normal television viewing, a
user tunes set-top box 28 to a desired television
channel. The signal for that television channel is
then provided at video output 30. The signal supplied
at output 30 is typically either a radio-frequency (RF)
signal on a predefined channel (e.g., channel 3 or 4),

55

5

- 17 -

10

or a analog demodulated video signal, but may also be a digital signal provided to television 36 on an appropriate digital bus (e.g., a bus using the Institute of Electrical and Electronics Engineers (IEEE) 1394 standard, (not shown)). The video signal at output 30 is received by optional secondary storage device 32.

15

The interactive television program guide client may run on set-top box 28, on television 36 (if television 36 has suitable processing circuitry and memory), on a suitable analog or digital receiver connected to television 36, or on digital storage device 31 if digital storage device 31 has suitable processing circuitry and memory. The interactive television program guide client may also run cooperatively on a suitable combination of these devices. Interactive television application systems in which a cooperative interactive television program guide application runs on multiple devices are described, for example, in Ellis U.S. patent application Serial No. 09/186,598, filed November 5, 1998, which is hereby incorporated by reference herein in its entirety.

20

25

30

35

40

45

Secondary storage device 32 can be any suitable type of analog or digital program storage device or player (e.g., a videocassette recorder, a digital versatile disc (DVD) player, etc.). Program recording and other features may be controlled by set-top box 28 using control path 34. If secondary storage device 32 is a videocassette recorder, for example, a typical control path 34 involves the use of an infrared transmitter coupled to the infrared receiver in the videocassette recorder that normally

50

55

5

- 18 -

10

accepts commands from a remote control such as remote control 40. Remote control 40 may be used to control set-top box 28, secondary storage device 32, and television 36.

15

5 If desired, a user may record programs, program guide data, or a combination thereof in digital form on optional digital storage device 31. Digital storage device 31 may be a writeable optical storage device (such as a DVD player capable of handling
20 10 recordable DVD discs), a magnetic storage device (such as a disk drive or digital tape), or any other digital storage device. Interactive television program guide systems that have digital storage devices are
25 described, for example, in Hassell et al. U.S. patent application Serial No. 09/157,256, filed September 17, 1998, which is hereby incorporated by reference herein in its entirety.

30

35

 Digital storage device 31 can be contained in set-top box 28 or it can be an external device
20 connected to set-top box 28 via an output port and appropriate interface. Digital storage device 31 may, for example, be contained in local media server 29. If necessary, processing circuitry in set-top box 28
 formats the received video, audio and data signals into
40 25 a digital file format. Preferably, the file format is an open file format such as the Moving Picture Experts Group (MPEG) MPEG-2 standard or the Moving Joint Photographic Experts Group (MJPEG) standard. The
45 resulting data is streamed to digital storage device 31
30 via an appropriate bus (e.g., a bus using the Institute Electrical and Electronics Engineers (IEEE) 1394 standard), and is stored on digital storage device 31.
50 In another suitable approach, an MPEG-2 data stream or

55

5

- 19 -

series of files may be received from distribution
equipment 21 and stored.

10

Television 36 receives video signals from
secondary storage device 32 via communications path 38.

5 The video signals on communications path 38 may either
15 be generated by secondary storage device 32 when
playing back a prerecorded storage medium (e.g., a
videocassette or a recordable digital video disc), by
20 digital storage device 31 when playing back a pre-
10 recorded digital medium, may be passed through from
set-top box 28, may be provided directly to television
36 from set-top box 28 if secondary storage device 32
is not included in user television equipment 22, or may
25 be received directly by television 36. During normal
15 television viewing, the video signals provided to
television 36 correspond to the desired channel to
which a user has tuned with set-top box 28. Video
30 signals may also be provided to television 36 by set-
top box 28 when set-top box 28 is used to play back
20 information stored on digital storage device 31.

25

30

Set-top box 28 may have communications
35 device 37 for communicating with program guide server
25 over communications path 20. Communications device
37 may be a modem (e.g., any suitable analog or digital
40 standard, cellular, or cable modem), network interface
card (e.g., an Ethernet card, Token ring card, etc.), a
combination of such devices, or any other suitable
communications device. Television 36 may also have
45 such a suitable communications device if desired.

35

40

30 Set-top box 28 may have memory 44. Memory 44
may be any memory or other storage device, such as a
random access memory (RAM), read only memory (ROM),
50 flash memory, a hard disk drive, a combination of such

45

50

55

5

- 20 -

10

devices, etc., that is suitable for storing program guide client instructions and program guide data for use by the program guide client.

15

A more generalized embodiment of user television equipment 22 of FIG. 3 is shown in FIG. 4. As shown in FIG. 4, program guide data from television distribution facility 16 (FIG. 1) and programming are received by control circuitry 42 of user television equipment 22. The functions of control circuitry 42 may be provided using the set-top box arrangement of FIGS. 2a and 2b. Alternatively, these functions may be integrated into an advanced television receiver, personal computer television (PC/TV) such as shown in FIG. 2c, or any other suitable arrangement. If desired, a combination of such arrangements may be used.

30

User television equipment 22 may also have secondary storage device 47 and digital storage device 49 for recording programming. Secondary storage device 47 can be any suitable type of analog or digital program storage device (e.g., a videocassette recorder, a digital versatile disc (DVD), etc.). Program recording and other features may be controlled by control circuitry 42. Digital storage device 49 may be, for example, a writeable optical storage device (such as a DVD player capable of handling recordable DVD discs), a magnetic storage device (such as a disk drive or digital tape), or any other digital storage device.

35

40

45

User television equipment 22 may also have memory 63. Memory 63 may be any memory or other storage device, such as a random access memory (RAM), read only memory (ROM), flash memory, a hard disk

50

55

5

- 21 -

10

drive, a combination of such devices, etc., that is suitable for storing program guide client instructions and program guide data for use by control circuitry 42.

15

User television equipment 22 of FIG. 4 may also have communications device 51 for supporting communications between the program guide client and program guide server 25 and via communications path 20. Communications device 51 may be a modem (e.g., any suitable analog or digital standard, cellular, or cable modem), network interface card (e.g., an Ethernet card, Token ring card, etc.), a combination of such devices, or any other suitable communications device.

20

A user controls the operation of user television equipment 22 with user interface 46. User interface 46 may be a pointing device, wireless remote control, keyboard, touch-pad, voice recognition system, or any other suitable user input device. To watch television, a user instructs control circuitry 42 to display a desired television channel on display device 45. To access the functions of the program guide, a user instructs the program guide implemented on interactive television program guide equipment 17 to generate a main menu or other desired program guide display screen for display on display device 45. If desired, the program guide client running on user television equipment 22 may provide users with access to program guide features without requiring them to navigate the Internet.

25

30

35

40

45

The program guide may provide users with an opportunity to access program guide features through a main menu. A main menu screen, such as illustrative main menu screen 100 of FIG. 5, may include menu 102 of selectable program guide features 106. If desired,

50

55

5

- 22 -

10

15

20

program guide features 106 may be organized according to feature type. In menu 102, for example, program guide features 106 have been organized into three columns. The column labeled "TV GUIDE" is for listings related features, the column labeled "MSO SHOWCASE" is for multiple system operator (MSO) related features, and the column labeled "VIEWER SERVICES" is for viewer related features. The interactive television program guide may generate a display screen for a particular program guide feature when a user selects that feature from menu 102.

25

30

35

Main menu screen 100 may include one or more selectable advertisements 108. Selectable advertisements 108 may, for example, include text and graphics advertising pay-per-view programs or other programs or products. When a user selects a selectable advertisement 108, the program guide may display information (e.g., pay-per-view information) or take other actions related to the content of the advertisement. Pure text advertisements may be presented, if desired, as illustrated by selectable advertisement banner 110.

40

45

50

Main menu screen 100 may also include other screen elements. The brand of the program guide product may be indicated, for example, using a product brand logo graphic such as product brand logo graphic 112. The identity of the television service provider may be presented, for example, using a service provider logo graphic such as service provider logo graphic 114. The current time may be displayed in clock display region 116. In addition, a suitable indicator such as indicator graphic 118 may be used to indicate to a user that mail from a cable operator is

55

5

- 23 -

waiting for a user if the program guide supports
messaging functions.

10

The interactive television program guide may
provide a user with an opportunity to view television
5 program listings. A user may indicate a desire to view
15 program listings by, for example, positioning highlight
region 120 over a desired program guide feature 106.
Alternatively, the program guide may present program
listings when a user presses a suitable key (e.g., a
20 "guide" key) on remote control 40. When a user
indicates a desire to view television program listings,
the program guide client requests listings from program
guide server 25 and generates an appropriate program
25 listings screen for display on display device 45
(FIG. 4). Program listings screens may be overlaid on
a program being viewed by a user or overlaid on a
30 portion of the program in a "browse" mode. Program
listings screens are described, for example, in Knudson
et al. U.S. patent application Serial No. 09/357,941,
20 filed July 16, 1999 (Attorney Docket No. UV-114), which
is hereby incorporated by reference herein in its
35 entirety.

35

A program listings screen may contain one or
more groups or lists of program listings organized
25 according to one or more organization criteria (e.g.,
40 by time, by channel, by program category, etc.). The
program guide may, for example, provide a user with an
opportunity to view listings by time, by channel,
45 according to a number of categories (e.g., movies,
30 sports, children, etc.), or may allow a user to search
for a listing by title. Program listings may be
displayed using any suitable list, table, grid, or
50 other suitable display arrangement. If desired,

50

55

5

- 24 -

10

program listings screens may include selectable advertisements, product brand logo graphics, service provider brand graphics, clocks, or any other suitable indicator or graphic.

15

5 A user may indicate a desire to view program listings by time, channel, or category by, for example, selecting a selectable feature 106 from menu 102. In response, the program guide client may issue one or more requests to program guide server 25 for listings
20 10 in the selected category if such listings are not already cached in memory 63 (FIG. 4). Program guide server 25 may retrieve program guide data stored on storage device 56, on another server, or from Internet
25 service system 61, and provide the data to the program
15 guide client via program guide distribution equipment 21.

30

The program guide client may display program listings in a suitable program listings screen on user television equipment 22. FIG. 6 illustrates the
20 display of program listings by time. Program listings screen 130 of FIG. 6 may include highlight region 151, which highlights the current program listing 150. A
35 user may position highlight region 151 by entering appropriate commands with user interface 46. For
40 25 example, if user interface 46 has a keypad, a user can position highlight region 151 using "up" and "down" arrow keys on remote control 40. A user may select a listing by, for example, pressing on the "OK" or "info"
45 key on remote control 40. Alternatively, a touch
30 sensitive screen, trackball, voice recognition device, or other suitable device may be used to move highlight region 151 or to select program listings without the
50 use of highlight region 151. In still another

55

5

- 25 -

10

approach, a user may speak a television program listing into a voice request recognition system. These methods of selecting program listings are merely illustrative. Any other suitable approach for selecting program

5 listings may be used if desired.

15

A user may view additional listings for the time slot indicated in timebar 111 by, for example, pressing an "up" or "down" arrow, or a "page up" or "page down" key on remote control 40. The user may

20

10 also see listings for the next 24 hour period, or the last 24 hour period, by pressing a "day forward" or "day backward" key on remote control 40, respectively.

25

If there are no listings starting exactly 24 hours in the indicated direction, the program guide may pick

15 programs starting at either closer or further than 24 hours away. If desired, the program guide may require a user to scroll through advertisement banner 110. A user may view program listings for other time slots by, for example, pressing "right" and "left" arrows on
20 remote control 40.

35

FIG. 7 illustrates the display of program listings by channel. A user may scroll up and down to view program listings for additional time slots, and may scroll left and right to view program listings for
25 other channels. If desired, the day for which program listings are displayed may be included in display
40 area 147 with the channel number as shown.

45

The program guide may provide users with an opportunity to view program listings sorted by
30 category. A user may, for example, press a special category key on remote control 40 (e.g., "movies", "sports", "children", etc.), select a selectable
50 category feature from main menu screen 100 (FIG. 5), or

55

55

5

- 26 -

may indicate a desire to view program listings by category using any other suitable approach. FIG. 8a is an illustrative program listings screen in which program listings for movies are displayed. FIG. 8b is an illustrative program listings screen in which program listings for sports-related programming are displayed. FIG. 8c is an illustrative program listings screen in which program listings for children's programs are displayed.

10 In program listings display screens such as those shown in FIGS. 7a and 8a-8c for example, program listings within lists 129 may be divided into predefined time slots, such as into 30 minute time slots. Between each time slot, separator 128 may be displayed to indicate to a user that a user has scrolled or paged program listings from one time slot to the next. In FIG. 7 for example, a user is scrolling from program listings in the 11:30 PM to the 12:00 AM time slot. This is indicated by the display of the name of the next week day. In FIGS. 8a-8c, for example, a user is scrolling from program listings in the 12:30 PM time slot to program listings in the 1:00 PM time slot. If desired, separators 128 may be displayed only for those timeslots for which there are listings. When the user scrolls within listings, highlight region 151 may skip separator 128. FIGS. 6, 7, and 8a-8c also illustrate how the program guide may display an advertisement banner so that a user is required to scroll past the banner to access additional program listings.

The program listings screens of FIGS. 6, 7, 8a, 8b, and 8c have also been shown as including various other screen elements. Program listings

55

5

- 27 -

10

display screens may include, for example, selectable advertisements, advertisement banners, brand logos, service provider logos, clocks, message indicators, or any other suitable screen element. The program guide

15

5 may provide users with access to selectable advertisements in response to, for example, a user pressing left arrows to move highlight region 151 to highlight a selectable advertisement. In the illustrative program listings screens of FIGS. 6, 8a, 20 8b, and 8c, the program guide may also adjust the time displayed in timebar 123 as the user scrolls or pages through program listings to reflect the time of the program listing at the top of the list.

25

The program guide client may provide a user 15 with an opportunity to define sophisticated boolean or natural language expressions of one or more criteria. Such criteria may include, for example, attribute type and attribute information that is provided by program guide server 25. The user defined expressions may be 20 stored by program guide server 25 for searching through and sorting program guide data, scheduling reminders, automatically recording programs, and parentally 35 controlling programs. Criteria may also be derived by the program guide server or program guide client from 25 user profiles or by monitoring usage of the program guide or advertising. Program guide server 25 may also use expressions to obtain other types of information or programs. Program guide server 25 may obtain, for 40 example, video-on-demand programs, web site links, 45 games, chat group links, merchandise information, or any other suitable information or programming from data sources 14 located at main facility 12 or other 50 facilities. The program guide client may provide users

55

5

- 28 -

with an opportunity to access, modify, or delete the expressions if desired.

10

A user may indicate a desire to search program guide data by, for example, selecting

5 selectable Search feature 106 of main menu 102 (FIG.

15

5). In response, the program guide client may display a criteria screen, such as illustrative criteria screen 141 and 149 of FIGS. 9a and 9b. The program guide client may display criteria screen 141 of FIG. 9a to

20

10 provide a user with an opportunity to define a boolean expression. The user may construct a boolean expression by selecting criteria such as attribute types, attributes, logical operators, and sorting criteria. User selectable criteria may also include
15 what program guide server 25 searches for such as, for example, program listings, program information, web sites, video-on-demand videos, software, or any other suitable program guide data, other information, or videos.

30

20 Users may define expressions by, for example, arrowing up or down between criteria, arrowing left or
35 right to choose an attribute, attribute type or logical operator, and pressing a suitable key to indicate that the user is finished (e.g., an "OK" key). In the
25 example of FIG. 9a, the user has constructed a boolean expression for all action programs that have the actor Bruce Willis, that start between 7:00P and 11:00P, and that end between 9:00P and 1:30A on the current day.
40 FIG. 9a has not been shown as including criteria for
45 selecting what program guide server 25 searches for to avoid over-complicating the drawing.

50

The program guide client may display criteria screen 149 of FIG. 9b to provide a user with an

55

55

5

- 29 -

opportunity to construct a natural language expression.

10

The user may enter a natural language phrase, such as

"List in alphabetical order all action programs

starring Bruce Willis and that start today between

5 7:00P and 11:00P and that end between 9:00P and 1:30A"

15

using user interface 46 (FIG. 4).

The program guide client may submit the user

defined boolean expression or the natural language

expression to program guide server 25 for processing.

20

10 Program guide server 25 may process the expression, and

provide the resulting program guide data (e.g., program

listings, program information, software, Internet

links, etc.) or video programs to the program guide

25

client for display. FIG. 11 shows an illustrative

15 program listings screen that may be displayed by the

program guide client in response to the expressions

defined in FIGS. 9a and 9b.

30

Users may also indicate a desire to have

program guide server 25 automatically process

20 expressions by, for example, saving defined expressions

as agents. A user may indicate a desire to save an

35

expression as an agent by, for example, selecting Save

As Agent selectable feature 147 of FIGS. 9a and 9b

after defining a boolean or natural language

40

25 expression. The program guide client may automatically

highlight Save As Agent selectable feature 147 when a

user indicates that the user is finished defining an

expression (e.g., by pressing an "OK" key). If desired

45

the program guide client may provide the user with an

30 opportunity to name the agent.

Users may access saved expressions or agents

by, for example, selecting selectable Agent feature 106

50

of main menu 102. In response, the program guide

55

5

- 30 -

10

client may display a list of saved expressions or agents. An illustrative agents screen 1101 is shown in FIG. 10. A user may indicate a desire to view program listings by, for example, positioning highlight region

15

- 5 151 over the desired expression and pressing an "OK" key on remote control 40. In response to a user indicating a desire to access an expression, the program guide client may submit the user defined expression to program guide server 25 for processing.
- 20 10 Program guide server may process the expression, and provide program listings to the program guide client for display in a program listings screen. For example, if a user saved the boolean expression of FIG. 9a, named it "Bruce Willis", and then indicated a desire to
- 25 15 access listings for the expression the program guide client may display the listings screen of FIG. 10.

30

In still another approach, the program guide client may provide the expression to program guide server 25 in response to the user saving the expression

35

- 20 as an agent. Program guide server 25 may store the expression and monitor the data stored on storage device 56 for program guide listings, program information, other information, software, videos, etc., that match the expression. Program guide server 25 may
- 40 25 also query other sources for program guide data and videos that match the expression via, for example, the Internet. Program guide server 25 may obtain the program guide data, other information or videos from
- 45 30 storage device 56 or other sources and provide them to the program guide client when the user indicates a desire to access the agent. Alternatively, program guide server 25 may provide the program guide data, other information, or videos to the program guide
- 50

55

5

- 31 -

10

client automatically when the user accesses a feature of the program guide that would display such information. In still another suitable approach, program guide server 25 may provide, for example, program identifiers and air times to the program guide client for use in generating program reminders that indicate found programs.

15

20

The program guide may also provide users with an opportunity to define user preferences that allow users to customize their program guide experience. Systems in which interactive television program guides provide users with opportunities to define user preference profiles are described, for example, in Ellis et al. U.S. patent application Serial No. 09/034,934, filed March 4, 1998 (Attorney Docket No. UV-43), which is hereby incorporated by reference herein in its entirety. Users may indicate a desire to set up user preference profiles, for example, by selecting a selectable Setup feature 106 from main menu 102 of FIG. 5. When a user selects a selectable Setup feature 106 from main menu 102, the program guide client may display a setup screen, such as illustrative setup screen 411 of FIG. 12.

30

35

40

45

Setup screen 411 may provide a user with an opportunity to set up various guide features, set parental control features, set features of set-top box 28 (FIG. 3), set audio features, set the screen position, set user preference profiles, or to set up any other feature or suitable combination of features. The user may indicate a desire to set up a user preference profile by, for example, selecting User Profile feature 417. When the user indicates a desire to set up a user preference profile, the program guide

50

55

5

- 32 -

client may display a user preference profile setup
screen, such as the preference profile setup screens
shown in FIGS. 13a-13f. This method of defining user
profiles is only illustrative, as any suitable method
may be used.

In practice, there may be multiple users
associated with each user television equipment 22. The
program guide may provide users with the ability to set
up multiple user preference profiles. Users may switch
between user preference profiles by, for example,
selecting preference profile selector 109 and arrowing
right or left to select the desired user preference
profile. In FIGS. 13a-13f, for example, the user has
selected Preference profile #1, which may correspond to
a particular user.

User preference profiles may include criteria
such as preference attributes 104 and preference levels
106. Preference attributes 104 may be organized by
type. Attribute types and attributes may be programmed
into the program guide client, or may be retrieved by
the program guide client from program guide server 25.
In the former approach, the available attribute types
and attributes may remain static until the program
guide client is updated. In the latter approach, the
available attribute types and attributes may be
dynamic. Suitable attribute types and attributes may
be provided at any time by main facility 12 or
television distribution facility 16. Each time a user
indicates a desire to set up a user preference profile,
the program guide client may query program guide server
25 for the available attribute types and attributes.
When a user indicates a desire to set up a user
preference profile in either approach, the program

55

5

- 33 -

10

guide client may query program guide server 25 for the user preference profiles associated with that program guide client.

15

20

25

30

35

FIGS. 13a-13f show six illustrative views of preference profile setup screens in which the user has selected attribute types by, for example, selecting attribute selector 111 and arrowing right or left until a desired preference attribute type is displayed. For example, FIGS. 13a-13f illustrate how the program guide may provide a user with an opportunity to set preference levels for series, genres, channels, actors and actresses, ratings, and other types of preference attributes, respectively. The user may select preference attributes by, for example, arrowing down after selecting an attribute type. The user may then arrow right or left until a desired attribute is displayed. After the desired preference attribute is displayed, the user may, for example, arrow down to set a preference level for the attribute. The user may then, for example, arrow right or left to select a suitable preference level.

40

45

50

Preference levels that may be used to indicate the user's interest or disinterest in a given preference attribute include strong like, weak like, strong dislike, weak dislike, mandatory (appropriate, e.g., for closed-captioning for a deaf person), illegal (appropriate, e.g., for R-rated programs for a child) and don't care (neutral). After the user indicates that he or she is finished defining a profile (e.g., by pressing an "OK" key or remote control 40), the program guide client may provide the preference profile data to program guide server 25 for use in providing program guide data. The user may arrow down again to select

55

5

- 34 -

10

additional criteria, or arrow up to edit criteria that has already been selected. The user may delete an attribute by, for example, setting its preference level to "don't care."

15

5 The user may activate or deactivate one or more defined preference profiles by, for example, selecting selectable Profile feature 106 from main menu 102 of FIG. 5. The program guide client may respond by, for example, querying program guide server 25 for
20 10 any defined preference profiles, providing the user with a list of preference profiles, and providing the user with an opportunity to activate or deactivate one or more preference profiles as shown in FIG. 14. A
25 user may deactivate a preference profile by, for example, setting the profile to non-active. A user may set a preference profile as active to varying degrees. For example, a user may set a profile as active by
30 setting the profile to "wide", "moderate", or "narrow" scope.

35

20 The program guide client may also indicate to program guide server 25 which profiles are activated or deactivated. The program guide server may use, for example, the attributes of one or more user preference profiles as additional criteria when retrieving data in
40 25 response to data requests from the program guide client. If multiple preference profiles are used simultaneously, program guide server 25 may reconcile any conflicts using any suitable approach. Interactive
45 television program guide systems that resolve conflicts among multiple active user preference profiles are
30 described, for example, in above-mentioned Ellis et al. U.S. patent application Serial No. 09/034,934, filed
50 March 4, 1998.

55

5

- 35 -

FIG. 15 is a table containing an illustrative
list of programs that might be available to a user.
The results that appear under the columns labeled
"narrow scope", "moderate scope", and "wide scope",
show which programs satisfy the preference attributes
and preference levels of, for example, Profile #1 as
illustratively defined in FIGS. 13a-13f. In practice,
a listings screen generated based on a profile that is
set to widest scope may typically include a larger
number of program listings depending on the mandatory
attributes set by the user.

When the user activates Profile #1 and sets
it to the widest scope, program guide server 25 may
provide program guide data for programs that have all
mandatory attributes and no illegal attributes. For
example, Seinfeld, The Shining, ER, Terminator, and My
Stepmother is an Alien are included in the widest
preference scope because they have the only mandatory
attribute that is specified in Profile #1 -- closed-
captioning (as set in FIG. 13f). In addition, they
have no preference attributes with a preference level
of illegal (R rating, TV-MA rating, or NC-17 rating (as
set in FIG. 13e). The Night at the Opera is not
included because it does not have a mandatory attribute
(closed-captioning). Dante's Peak is not included
because it has a illegal rating (R). An illustrative
program listings screen that may be displayed by the
program guide client with such limited data is shown in
FIG. 16a (ER has not been listed because, presumably,
it would be in a different time block).

When the user activates Profile #1 and sets
it to the moderate scope, program guide server 25 may
provide program guide data for programs that have no

55

5

- 36 -

10

15

20

25

30

preference attributes with an associated preference level of disliked, that have all mandatory attributes, and that have no illegal attributes. The Shining is not included because horrors have a preference level of "weak dislike" (as set in FIG. 13b). Dante's Peak is not included because it has an R-rating, which has an attribute level of illegal (as set in FIG. 13e). Night at the Opera is not included because it is not closed-captioned, which is a mandatory attribute (as set in FIG. 13f). The Terminator, for example is not within the moderate scope of Profile #1 because the preference attribute of horror in Profile #1 has an associated preference level of "weak dislike" and the preference attribute of Schwarzenegger (an actor in the program Terminator) has an associated preference level of "strong dislike" (as set in FIGS. 13b and 13d, respectively). Seinfeld and ER are included because they do not have any disliked attributes.

35

40

45

When faced with two different preference levels associated with the same program, the program guide uses the stronger of the two. My Stepmother is an Alien is included, for example, because it has a "strong like" preference attribute that outweighs the "weak dislike". An illustrative program listings screen that may be displayed by the program guide client with such limited program guide data is shown in FIG. 16b. In practice, a listings screen generated based on a profile that is set to moderate scope may typically include a larger number of program listings depending on the mandatory attributes set by the user.

50

When the user activates Profile #1 and sets it to the narrow preference scope, program guide server may provide program guide data for all liked

55

5

- 37 -

programs that are not more disliked and that have all
mandatory attributes and no illegal attributes. The
Shining is not included because it has a weakly
disliked attribute, horror. Terminator is not included
because it has a strongly disliked attribute, Arnold
Schwarzenegger. My Stepmother is an Alien is included
because the strongly liked attribute of comedy has
priority over the weakly disliked attribute of horror.
Dante's Peak is not included because it has a rating of
R. Night at the Opera is not included because it is
not closed-captioned. ER is not within the narrow
scope because it does not have any liked attributes.
It is at best, neutral. An illustrative program
listings screen that may be displayed by the program
guide client with such limited program guide data is
shown in FIG. 16c.

The program guide may also provide users with
an opportunity to schedule reminders using boolean or
natural language expressions having one or more
criteria. If desired, program guide server 25 may
schedule reminders based on user preference profiles
and agents. Reminders may be scheduled for individual
programs or series of programs. Systems in which
reminders are set for series of programs are described,
for example, in Knudson et al. U.S. patent application
Serial No. 09/330,792, filed June 11, 1999 (Attorney
Docket No. UV-56), which is hereby incorporated by
reference herein in its entirety.

A user may indicate a desire to schedule a
reminder by, for example, selecting a selectable
Reminders feature 106 from main menu 100 of FIG. 5. In
response, the program guide may display a criteria
screen. Illustrative criteria screens 161 and 169 are

55

5

- 38 -

10

15

20

25

shown in FIGS. 17a and 17b. The program guide client may display criteria screen 161 of FIG. 17a to provide a user with an opportunity to set reminders according to a boolean type expression. The user may construct a boolean expression by selecting criteria such as attribute types, attributes, and logical operators. The user may make such selections, for example, using any suitable combination of right, left, up, or down arrow key sequences to sequence through the attribute types, attributes and logical operators. In the example of FIG. 17a, the user has defined a boolean expression to schedule reminders for comedies that star Gary Shandling and that have a rating less than R. In the example of FIG. 17b, the user has defined a similar natural language expression.

30

35

40

45

The program guide client may submit the user defined boolean or natural language expression to program guide server 25 for processing. Program guide server 25 may process the expression and schedule reminders for all of the programs that meet the expression. Program reminders may be scheduled using any suitable approach. In one suitable approach, program guide server 25 may store program identifiers and air times and send messages to the program guide client at an appropriate time before a program starts. In another suitable approach, program guide server 25 may process an expression and provide program identifiers and air times to the program guide client. The program guide client may, for example, maintain a list of program identifiers and display program reminders at an appropriate time before the programs start.

50

55

5

- 39 -

10

15

20

25

30

The program guide may remind a user that a program is airing at the time a program airs. In an alternative approach, the program guide may remind a user at some predetermined period of time before the program airs that a program is going to air. FIGS. 18 and 19 show illustrative program reminder lists 171. In FIG. 18, reminder list 171 is overlaid on top of the currently display television program to provide a user with the opportunity to view a reminder while still viewing a portion of the television program that a user is watching. In FIG. 19, reminder list 171 is shown overlaid on top of a program listings display screen. The program guide may provide a user with an opportunity to scroll through reminder list 171 by, for example, using remote control arrow keys. The program guide may hide the reminder list when, for example, a user selects hide reminder feature 172. The guide may also display reminder list 171 if, for example, the user presses an "OK" key at any time while watching TV.

The program guide may also provide users with an opportunity to schedule programs for recording by secondary storage device 47 or digital storage device 49 (FIG. 4) using boolean or natural language expressions. If desired, program guide server 25 may schedule programs for recording based on user preference profiles or agents. Programs may also be scheduled for recording by program guide server 25. Program guide systems in which programs are recorded by a remote server are described, for example, in Ellis et al. U.S. patent application Serial No. 09/332,244, filed June 11, 1999 (Attorney Docket No. UV-84), which is hereby incorporated by reference herein in its entirety.

55

5

- 40 -

10

15

20

25

30

35

40

45

50

A user may indicate a desire to schedule a program for recording by, for example, selecting a selectable Record feature 106 from main menu 102 of FIG. 5. In response, the program guide may display a criteria screen, such as illustrative criteria screens 161 and 169 of FIGS. 17a and 17b. The program guide client may display criteria screen 161 of FIG. 17a to provide a user with an opportunity to schedule a program for recording according to a boolean type expression. The user may construct a boolean expression by selecting criteria such as attribute types, attributes, and logical operators. The user may make such selections, for example, using any suitable combination of right, left, up, or down arrow key sequences to sequence through the attribute types, attributes and logical operators. In the example of FIG. 17a, the user has defined a boolean expression to schedule for recording comedies that star Gary Shandling and that have a rating less than R. In the example of FIG. 17b, the user has defined a similar natural language expression with similar criteria.

The program guide client may submit the user defined boolean or natural language expression to program guide server 25 for processing. Program guide server 25 may process the expression and schedule all of the programs that meet the expression for recording. Recording by program guide server 25 may be performed, for example, as described in above-mentioned Ellis et al. U.S. patent application Serial No. 09/332,244, filed June 11, 1999 (Attorney Docket No. UV-84). In another suitable approach, program guide server 25 may process the expression and provide program identifiers and air times to the program guide client. The program

55

5

- 41 -

guide client may, for example, maintain a list of
program identifiers and program air times and may
instruct optional secondary storage device 47 or
digital storage device 49 to record the programs.

5 The program guide may also provide users with
an opportunity to parentally control titles, programs,
or channels using boolean or natural language
expressions. If desired, program guide server 25 may
parentally control programs based on user preference
10 profiles. A user may indicate a desire to parentally
control titles, programs, or channels by, for example,
selecting a selectable Parents feature 106 from main
menu 102 of FIG. 5. In response, the program guide may
display a criteria screen, such as illustrative
15 criteria screens 161 and 169 of FIGS. 17a and 17b. The
program guide client may display criteria screen 161 of
FIG. 17a to provide a user with an opportunity to
control programs, for example, according to a boolean
type expression. The user may construct a boolean type
20 expression by selecting criteria such as attribute
types, attributes, and logical operators. The user may
make such selections, for example, using any suitable
combination of right, left, up, or down arrow key
sequences to sequence through the attribute types,
25 attributes and logical operators. In the example of
FIG. 17a, the user has defined a boolean expression to
lock out comedies that star Gary Shandling and that
have a rating less than R. In the example of FIG. 17b,
the user has defined a similar natural language
30 expression with similar criteria.

The program guide client may submit the user
defined boolean or natural language expression to
program guide server 25 for processing. Program guide

55

5

- 42 -

10

15

20

25

30

35

server 25 may process the expression, determine all of the programs that meet the expression, and indicate the programs that are locked to the program guide client when providing program listings to the program guide client using a suitable indicator (e.g., "locked" tag contained in the listings information). The program guide client may, for example, indicate that a program is locked by displaying lock indicator 161 when displaying locked listings in a listing screen, as shown, for example, in FIG. 7. By placing the processing and storage burdens of locking programs on program guide server 25 instead of user television equipment 22, more titles may be locked than would otherwise because of the limited processing and storage resources of user television equipment 22. If desired, titles, programs, or channels may also be locked using conventional parental control techniques. Program guide systems that provide users with an opportunity to parentally control titles, programs, or channels are described, for example, in above-mentioned Knudson et al. U.S. patent application Serial No. 09/357,941 filed July 16, 1999 (Attorney Docket No. UV-114).

40

45

50

Program guide server 25 may also record the viewing histories of users on storage device 56. Viewing histories may be created using any suitable approach. The program guide client may, for example, keep track of all of the programs that a user watches for longer than a predefined time, and record the household that the guide client is running in, the current active preference profile or profiles, the program (or its identifier), and how long the user watched the program. The program guide client may also track when users order pay-per-view programs, record

55

5

- 43 -

10

15

20

25

programs, and schedule reminders for programs, and may also provide this information to program guide server 25 as part of the viewing histories. Other types of information may also be included in the viewing histories. User defined expressions, for example, may be stored by program guide server 25 to track what types of programs users search for. In addition, user demographic values may be calculated by program guide server 25 and used to more accurately target advertisements or recommend programs. Systems in which user demographic values are calculated are described, for example, in Knudson et al. U.S. patent application Serial No. 09/139,777, filed August 25, 1998 (Attorney Docket NO. UV-58), which is hereby incorporated by reference herein in its entirety.

30

35

40

45

The program guide client may provide the viewing history information to program guide server 25 continuously (e.g., each time the program guide client determines that a user has watched a program for the predefined time), periodically, in response to polls or requests from program guide server 25, or with any other suitable frequency. If desired, the program guide client may also monitor advertisement usage, such as what selectable advertisements users have selected. Program guide systems in which user viewing activities and advertisement usage are tracked are described, for example, in Thomas et al. U.S. patent application Serial No. 09/139,798, filed August 25, 1998 (Attorney Docket No. UV-57), which is hereby incorporated by reference herein in its entirety.

50

The program guide may process user profiles along with the viewer histories to present a more customized viewing experience to the user. The program

55

5

- 44 -

10

15

20

25

guide may, for example, identify which programs or series episodes users have watched. Program guide server 25 may, for example, identify episodes that users have not yet watched and may indicate such episodes to the program guide client when the program guide client requests program listings. The program guide client in turn may indicate that a program is new to a household by, for example, displaying a suitable icon or changing the display characteristics of a listing (e.g., changing its color). FIG. 7 shows, for example, the display of New indicator 159 in list 129 to indicate to a user that the user has not seen a particular episode of Saturday Night Live. Program guide server 25 may also calculate ratings, such as Nielsen ratings, based on the viewing histories and provide such information to interested parties.

30

35

40

45

50

The program guide may also use the viewing history and user preferences to target the user with advertisements. Program guide systems in which users are targeted with advertisements are described, for example, in Knudson et al. U.S. patent application Serial No. 09/034,939, filed March 4, 1998 (Attorney Docket No. UV-42), which is hereby incorporated by reference herein in its entirety. Targeted advertisements may contain text, graphics, or video. Targeted advertisements may also be active objects containing various user-selectable options. For example, a targeted advertisement may allow the user to request that additional information on a product be mailed to the user's home, may allow the user to purchase a product, or may allow the user to view additional information on a product using the program guide. Targeted advertisements may be displayed in any

55

5

- 45 -

10

suitable program guide display screen. The program guide client may, for example, display targeted advertisements in criteria or profile screens based on a displayed criteria, profile, or agent. Selectable advertisements 108 and advertisement banner 110, for example, may be targeted advertisements.

15

20

The program guide may make personalized viewing recommendations based on the viewing histories, preference profiles, or any suitable combination thereof. Program guide server 25 may, for example, construct relational database expressions from the viewing histories that define expressions for the program categories and ratings for programs that users have watched, scheduled reminders for, searched for, or ordered the most. Program guide server 25 may then apply user preference profile criteria to the programs, and generate personal viewing recommendations. In still another suitable approach, program guide server 25 or the program guide client may filter viewing recommendations that are generated by main facility 12 or television distribution facility 16 based on similar expressions, profiles, viewing histories, etc.

25

30

35

40

45

Assume, for the purpose of illustration, that a user has run the expression illustrated in FIGS. 9a and 9b, and has set the user profiles of FIGS. 13a-13f, program guide server 25 may determine that the movie Armageddon meets the criteria of the expression that was run, and also meets the criteria of the current user profile. Armageddon is a movie (strong like), an action (strong like), and does not have an illegal rating (it is rated PG-13). Program guide server 25 may indicate the movie Armageddon (or its identifier) and its air time to the program guide client and

50

55

5

- 46 -

indicate to the client (e.g., using a second
10 identifier) that a viewer recommendation for the movie
is to be displayed. The program guide client may
display a viewer recommendation overlay, such as
5 overlay 2111 shown in FIGS. 20a and 20b, over a program
15 the user is watching or over a program guide display
screen, respectively. The user may press a suitable
key on remote control 40 (e.g., an "info" key) to
access additional information for a recommended
20 10 program. An illustrative additional information screen
is shown in FIG. 20c. Additional program information
screens are described, for example, in above-mentioned
Knudson et al. U.S. patent Application Serial
25 No. 09/357,941 filed July 16, 1999 (Attorney Docket
15 No. UV-114). The program guide client may tune user
television equipment 22 to the channel on which a
recommended viewing is aired when, for example, a user
30 selects "Yes". If desired, recommendations may include
a suitable graphic, such as a graphic indicating the
20 recommended program.

35 FIGS. 21-24 show flowcharts of illustrative
steps involved in performing various aspects of the
present invention. The steps shown in FIGS. 21-24 are
only illustrative, and may be performed in any suitable
40 25 order.

FIG. 21 shows a flowchart of illustrative
steps involved in storing preference profiles on
program guide server 25. If desired, the steps shown
45 may be performed in a client-server interactive program
30 guide system in which users are not required to
navigate the Internet. At step 2000, the program guide
client running on user television equipment 22 provides
50 a user with an opportunity to define a preference

55

5

- 47 -

10

15

20

profile. The preference profile may include user selected or defined levels of desirability of various program characteristics, such as genre and rating. Users may define preference profiles by, for example, selecting a profile (step 2002) and selecting criteria (step 2004) such as attribute types (step 2006) and attributes (step 2008). Preference profiles may, for example, be created as database files (e.g., SQL files) containing suitable database expressions that are provided to program guide server 25. Program guide server 25 may store the preference profiles at step 2012.

25

30

35

40

45

Program guide data is provided from program guide server 25 to the program guide client and is displayed by the program guide client at steps 2020 and 2030, respectively. Program guide server 25 or the program guide client may use preference profiles to filter out undesirable program guide data. This may be accomplished using any suitable approach. Program guide server 25 may, for example, only provide program listings information or other program guide data that meets the preference profile or profiles to the program guide client (step 2025). Alternatively, program guide server 25 may provide program guide data, other information, or videos to the program guide client and the program guide client may filter the data, other information, or videos by displaying only those elements that meet the preference profile or profiles (step 2035).

50

Program guide server 25 may perform additional functions based on preference profiles if desired. Program guide server 25 may, for example, lock programs according to preference profiles (step

55

5

- 48 -

10

2040), automatically record programs according to preference profiles (step 2050), schedule reminders based on preference profiles (step 2060), or target advertising based on preference profiles (step 2070).

15

5 If desired, program guide server 25 may also provide viewing recommendations based on preference profiles at step 2080. Step 2080 may also include filtering viewing recommendations based on preference profiles provided by main facility 12 or television distribution

20

10 facility 16 (step 2085).

25

FIG. 22 is a flowchart of illustrative steps involved in providing users with an opportunity to search program guide data in accordance with the principles of the present invention. If desired, the

30

15 steps shown may be performed in a client-server interactive program guide system in which users are not required to navigate the Internet. At step 2100, the program guide client provides a user with an

35

20 opportunity to define an expression, such as a boolean or natural language expression. This may include, for example, providing a user with an opportunity to select attribute types, attributes, and logical operators (steps 2102, 2104, and 2106, respectively). The user

40

25 may also be provided with an opportunity to save the expression as an agent (step 2110). The program guide client provides the expression to program guide server 25 for processing at step 2120. The program guide

45

client may for example, provide a boolean or natural language expression in a text file. Alternatively, the

50

30 program guide client may construct suitable database expressions and provide the expressions to program guide server 25 as one or more suitable database files (e.g., as SQL files).

55

5

- 49 -

10

15

20

25

30

35

If the user indicated a desire to save an expression as an agent at step 2110, program guide server 25 may save the expression as an agent at step 2130. Otherwise, program guide server 25 may process the expression (step 2140) using any suitable approach. This may depend on how the expression was provided by the program guide client. If boolean or natural language expressions were provided as text files, for example, program guide server 25 may parse the expressions and construct a suitable database expression. Alternatively, database expressions may have been provided by the program guide client. In either approach, program guide server 25 may search its database or databases at other facilities for program guide data (e.g., program listings, additional program information, etc.), other information (e.g., software, Internet links, etc.), or videos (e.g., video-on-demand videos) and may provide the results to the program guide client at step 2150. At step 2160 the program guide client may display the results on user television equipment 22.

40

45

50

If the user indicated a desire to save the expression as an agent at step 2110. Program guide server 25 may save the expression as an agent using any suitable approach. Agents may be maintained, for example, in a database that program guide server 25 monitors periodically. If desired, the agent may be forwarded to other servers at other facilities, thereby providing a user with the ability to monitor multiple databases for program guide data, other information, or videos. Agents may be run automatically (e.g., databases may be queried) on one or more servers at step 2145. Step 2145 may be performed periodically,

55

5

- 50 -

10

each time a database is updated, or with any other suitable frequency. Program guide server 25 may provide its results and the results of other servers (if desired) to the program guide client at step 2155.

15

5 The program guide client may display the results at 2165. The results may be displayed, for example, in the form of reminders for which reminder information was provided at step 2155.

20

FIG. 23 shows a flowchart of illustrative steps involved in processing and using expressions on program guide server 25 in accordance with the principles of the present invention. If desired, the steps shown may be performed in a client-server interactive program guide system in which users are not required to navigate the Internet. The program guide client provides users with an opportunity to define an expression (e.g., boolean or natural language expressions) at step 2100. This may include, for example, providing a user with an opportunity to select attribute types, attributes and logical operators (steps 2102, 2104, and 2106, respectively). The program guide client provides the expression to program guide server 25 for processing at step 2210 as any suitable type of file. The program guide client may for example, provide a boolean or natural language expression in a text file. Alternatively, the program guide client may construct suitable database expressions and provide the expressions to program guide server 25 as one or more suitable database files (e.g., as SQL files).

30

35

40

45

Program guide server 25 may process the expression (step 2220) using any suitable approach depending on how the expression was provided to program

50

55

5

- 51 -

guide server 25 from the program guide client. If
boolean or natural language expressions were provided
as text files, for example, program guide server 25 may
parse the expressions and construct a suitable database
expression. Alternatively, database expressions may
have been provided to program guide server 25 from the
program guide client. In either approach, program
guide server 25 may search its database or databases at
other facilities and may provide the results to the
program guide client or use the results to perform any
suitable program guide function.

Reminders may be scheduled based on the
results of the search (step 2230). Program guide
server 25 may, for example, store reminder information
(e.g., program identifiers and air times) at step 2235
and send messages to the program guide client at an
appropriate time before a program starts. In another
suitable approach, program guide server 25 may process
an expression and provide program identifiers and air
times to the program guide client. The program guide
client may, for example, maintain a list of program
identifiers and display program reminders at an
appropriate time before the programs start.

Programs may also be automatically recorded
by program guide server 25 or user television equipment
22 based on the results of the expression (step 2240).
Program guide server 25 may, for example, provide
program identifiers and air times to the program guide
client. The program guide client may, for example,
maintain a list of program identifiers and program air
times and may instruct optional secondary storage
device 47 or digital storage device 49 to record the
programs at the appropriate time.

55

5

- 52 -

Programs may be parentally locked based on the expression results (step 2250). Program guide server 25 may, for example, store parental control information (e.g., program identifiers in a database, table, or list of programs to be locked) at step 2260. Program guide server 25 may indicate to the program guide client that programs are locked when providing program listings to the program guide client. Alternatively, program guide server 25 may indicate to the program guide client the programs that were found as a result of the expression. The program guide client may lock the programs locally using any suitable approach. The program guide client may, for example, indicate that a program is locked by displaying lock indicator 161 when displaying locked listings in a listing screen, as shown, for example, in FIG. 7.

FIG. 24 shows a flowchart of illustrative steps involved in tracking and using viewing histories in accordance with the principles of the present invention. If desired, the steps shown may be performed in a client-server interactive program guide system in which users are not required to navigate the Internet. Viewing histories are tracked at step 2300. This may include tracking programs that users watch (step 2310), tracking reminders scheduled by a user with program guide server 25 or using conventional techniques (step 2320), tracking pay-per-view programs that the user orders (step 2330), advertisement usage (step 2335), track recorded programs (step 2337), track any other suitable user activity, or any suitable combination thereof. The program guide client may provide the viewing history information to program guide server 25 continuously (i.e., each time the

55

5

- 53 -

program guide client determines that a user has watched a program for the predefined time), periodically, in response to polls or requests from program guide server 25, or with any other suitable frequency.

The viewing history tracked in steps 2310-2335 may be stored on program guide server 25 at step 2340. If desired, user-defined expressions that are processed by program guide server 25 may also be stored on program guide server 25 (step 2345). User demographic values may be calculated by program guide server 25 at step 2347. The viewing history and its expressions and user demographic values may be used by program guide server 25 to perform any suitable function. Program guide server 25 may, for example, collect program rating information (step 2350), or target advertising (step 2360).

Program guide server 25 may search its or another server's database for programs that are consistent with the viewing history (step 2370). If desired, program guide server 25 may find programs that are also consistent with preference profiles stored by program guide server 25 (step 2375). Program guide server may perform any suitable function using the results of the search. Program guide server 25 may, for example, identify episodes of programs that are new to a user (step 2380), or provide viewing recommendations in the form of, for example, reminders or recommendations for non-program items (e.g., software, Internet links, etc.) (step 2390).

The foregoing is merely illustrative of the principles of this invention and various modifications can be made by those skilled in the art without departing from the scope and spirit of the invention.

55

Claims

5

10

15

20

25

This Page Blank (uspto)

30

35

40

45

50

55

5

- 54 -

What is claimed is:

10

1. A method for use in a client-server interactive television program guide system comprising:

15

providing a user with an opportunity to define user preferences using an interactive television program guide client that is implemented on user television equipment, without requiring the user to navigate the Internet;

20

providing the user preferences to a program guide server; and

providing program guide data to the program guide client according to the user preferences.

25

2. The method defined in claim 1 further comprising:

30

generating a viewing recommendation based on the user preferences with the program guide server; and

35

displaying the user preferences with the interactive television program guide client on the user television equipment.

40

3. The method defined in claim 1 wherein providing a user with an opportunity to define user preferences comprises providing a user with an opportunity to designate a preference level for a plurality of preference attributes.

45

4. The method defined in claim 1 further comprising providing software to the program guide client according to the user preferences.

50

55

5

- 55 -

10

5. The system defined in claim 1 further comprising providing Internet links to the program guide client according to the user preferences.

15

6. A method for use in a client-server interactive television program guide system for scheduling reminders according to user defined expressions, comprising:

20

providing a user with an opportunity to define an expression with an interactive television program guide client implemented on user television equipment without requiring the user to navigate the Internet;

25

storing the expression on a program guide server;

30

processing the expression with the program guide server to find programs that satisfy the expression; and

35

scheduling with the program guide server reminders for programs that satisfy the expression.

40

7. The method defined in claim 6 wherein scheduling with the program guide server reminders for programs that satisfy the expression comprises providing at least one message from the program guide server to the program guide client before each of the programs that satisfy the expression begin.

45

8. The method defined in claim 6 wherein scheduling with the program guide server reminders for programs that satisfy the expression comprises providing program identifiers for each of the programs

50

55

5

- 56 -

10

that satisfy the expression from the program guide server to the program guide client.

15

9. A method for use in a client-server interactive television program guide system for scheduling programs for recording according to user defined expressions, comprising:

20

providing a user with an opportunity to define an expression with an interactive television program guide client implemented on user television equipment without requiring the user to navigate the Internet;

25

storing the expression on a program guide server;

30

processing the expression with the program guide server to find programs that satisfy the expression; and

scheduling with the program guide server the programs that satisfy the expression for recording.

35

10. The method defined in claim 9 wherein scheduling with the program guide server the programs that satisfy the expression for recording comprises scheduling with the program guide server the programs that satisfy the expression for recording by the user television equipment.

40

45

11. The method defined in claim 9 wherein scheduling with the program guide server the programs that satisfy the expression for recording comprises scheduling with the program guide server the programs that satisfy the expression for recording by the program guide server.

50

55

5

- 57 -

12. A method for use in a client-server
interactive television program guide system for
parentally controlling programs according to user
defined expressions, comprising:

providing a user with an opportunity to
define an expression with an interactive television
program guide client implemented on user television
equipment without requiring the user to navigate the
Internet;

storing the expression on a program
guide server;

processing the expression with the
program guide server to find programs that satisfy the
expression; and

locking with the program guide server
programs that satisfy the expression.

13. The method defined in claim 12 wherein
locking with the program guide server programs that
satisfy the expression comprises indicating to the
program guide client that the programs that satisfy the
expression are locked.

14. A method for use in a client-server
interactive television program guide system for
tracking a user's viewing history, comprising:

tracking a user's viewing history;
storing the user's viewing history on a
program guide server;

finding programs with the program guide
server that are consistent with the user's viewing
history; and

indicating on user television equipment
the programs found by the program guide server that are
consistent with the user's viewing history and that the

5

- 58 -

10

user has not watched, with an interactive television program guide client implemented on the user television equipment.

15

15. The method defined in claim 14 wherein storing the user's viewing history comprises storing a user defined expression with the program guide server.

20

16. The method defined in claim 14 wherein storing the user's viewing history comprises calculating user demographic values with the program guide server.

25

17. The method defined in claim 14 further comprising:

30

providing a user with an opportunity to define a user preference profile with the interactive television program guide client implemented on user television equipment;

35

storing the user preference profile on a program guide server; and

finding programs with the program guide server that are consistent with the user preference profile, wherein:

40

indicating on user television equipment the programs found by the program guide server that are consistent with the user's viewing history and that the user has not watched comprises indicating on user television equipment the programs found by the program guide server that are consistent with the user's viewing history and the user preference profile and that the user has not watched.

50

18. The method defined in claim 14 further comprising:

55

5

- 59 -

10

targeting advertising with the program
guide server based on the user's viewing history; and
displaying the advertising with the
interactive television program guide client on the user
television equipment.

15

20

19. The method defined in claim 14 further
comprising collecting program ratings information with
the program guide server based on the user's viewing
history.

25

30

20. A client-server interactive television
program guide system comprising:

means for providing a user with an
opportunity to define user preferences using an
interactive television program guide client that is
implemented on user television equipment, without
requiring the user to navigate the Internet;
means for providing the user preferences
to a program guide server; and

35

means for providing program guide data
from the program guide server to the program guide
client according to the user preferences.

40

21. The system defined in claim 20 further
comprising:

45

means for generating a viewing
recommendation based on the user preferences with the
program guide server; and

50

means for displaying the user
preferences with the interactive television program
guide client on the user television equipment.

55

22. The system defined in claim 20 wherein
the means for providing a user with an opportunity to

5

- 60 -

10

define user preferences comprises means for providing a user with an opportunity to designate a preference level for a plurality of preference attributes.

15

23. The system defined in claim 20 further comprising means for providing software from the program guide server to the program guide client according to the user preferences.

20

24. The system defined in claim 20 further comprising means for providing Internet links from the program guide server to the program guide client according to the user preferences.

25

25. A client-server interactive television program guide system for scheduling reminders according to user defined expressions, comprising:

30

means for providing a user with an opportunity to define an expression with an interactive television program guide client implemented on user television equipment, without requiring the user to navigate the Internet;

35

means for processing the expression with a program guide server to find programs that satisfy the expression; and

40

means for scheduling with the program guide server reminders for programs that satisfy the expression.

45

26. The system defined in claim 25 wherein the means for scheduling with the program guide server reminders for programs that satisfy the expression comprises means for providing at least one message from the program guide server to the program guide client

50

55

5

- 61 -

10

before each of the programs that satisfy the expression begin.

15

27. The system defined in claim 25 wherein the means for scheduling with the program guide server reminders for programs that satisfy the expression comprises means for providing program identifiers for each of the programs that satisfy the expression from the program guide server to the program guide client.

20

25

28. A client-server interactive television program guide system for scheduling programs for recording according to user defined expressions, comprising:

30

means for providing a user with an opportunity to define an expression with an interactive television program guide client implemented on user television equipment, without requiring the user to navigate the Internet;

35

means for processing the expression with a program guide server to find programs that satisfy the expression; and

40

means for scheduling with the program guide server the programs that satisfy the expression for recording.

45

29. The system defined in claim 28 wherein the means for scheduling with the program guide server the programs that satisfy the expression for recording comprises means for scheduling with the program guide server the programs that satisfy the expression for recording by the user television equipment.

50

55

30. The system defined in claim 28 wherein the means for scheduling with the program guide server

5

- 62 -

10

the programs that satisfy the expression for recording comprises means for scheduling with the program guide server the programs that satisfy the expression for recording by the program guide server.

15

31. A client-server interactive television program guide system for parentally controlling programs according to user defined expressions, comprising:

20

means for providing a user with an opportunity to define an expression with an interactive television program guide client implemented on user television equipment, without requiring the user to navigate the Internet;

25

means for processing the expression with a program guide server to find programs that satisfy the expression; and

30

means for locking with the program guide server programs that satisfy the expression.

35

32. The system defined in claim 31 wherein the means for locking with the program guide server programs that satisfy the expression comprises means for indicating to the program guide client that the programs that satisfy the expression are locked.

40

45

33. A client-server interactive television program guide system for tracking a user's viewing history, comprising:

means for tracking a user's viewing history with a program guide server;

50

means for indicating on user television equipment programs that are consistent with the user's viewing history and that the user has not watched, with

55

5

- 63 -

10

an interactive television program guide client
implemented on the user television equipment.

15

34. The system defined in claim 33 wherein
the means for tracking the user's viewing history
comprises means for storing a user defined expression
with the program guide server.

20

35. The system defined in claim 33 wherein
the means for tracking the user's viewing history
comprises means for calculating user demographic values
with the program guide server.

25

36. The system defined in claim 33 further
comprising:

30

means for providing a user with an
opportunity to define a user preference profile with
the interactive television program guide client
implemented on user television equipment; and

35

means for finding programs with the
program guide server that are consistent with the user
preference profile, wherein:

40

the means for indicating on user
television equipment the programs found by the program
guide server that are consistent with the user's
viewing history and that the user has not watched
comprises means for indicating on user television
equipment the programs found by the program guide
server that are consistent with the user's viewing
history and the user preference profile and that the
user has not watched.

45

50

37. The system defined in claim 36 further
comprising:

55

5

- 64 -

10

means for targeting advertising with the
program guide server based on the user's viewing
history; and

15

means for displaying the advertising
with the interactive television program guide client on
the user television equipment.

20

38. The system defined in claim 36 further
comprising means for collecting program ratings
information with the program guide server based on the
user's viewing history.

25

39. A client-server interactive television
program guide system comprising:

30

a program guide server;
user television equipment on which an
interactive television program guide client is
implemented, wherein the interactive television program
guide client is programmed to provide a user with an
opportunity to define user preferences without
requiring the user to navigate the Internet; and

35

a communications path over which the
user preferences are provided by the interactive
television program guide client to the program guide
server.

40

45

40. The system defined in claim 39 wherein:
the program guide server is programmed
to generate a viewing recommendation based on the user
preferences; and

50

the interactive television program guide
client is further programmed to display the viewing
recommendation on the user television equipment.

55

5

- 65 -

10

41. The system defined in claim 39 wherein the interactive television program guide client is further programmed to provide a user with an opportunity to designate a preference level for a plurality of preference attributes.

15

20

42. The system defined in claim 39 wherein the program guide server is programmed to provide software to the interactive television program guide client according to the user preferences.

25

43. The system defined in claim 39 wherein the program guide server is programmed to provide Internet links to the interactive television program guide client according to the user preferences.

30

44. A client-server interactive television program guide system for scheduling reminders according to user defined expressions, comprising:

35

user television equipment on which an interactive television program guide client is implemented, wherein the program guide client is programmed to provide a user with an opportunity to define an expression without requiring the user to navigate the Internet;

40

45

a communications path over which the expression is provided by the interactive television program guide client to a program guide server, wherein the program guide server is programmed to find programs that satisfy the expression and schedule reminders for programs that satisfy the expression.

50

45. The system defined in claim 44 wherein scheduling with the program guide server reminders for programs that satisfy the expression comprises

55

5

- 66 -

10

providing at least one message from the program guide server to the program guide client before each of the programs that satisfy the expression begin.

15

46. The system defined in claim 44 wherein the program guide server is further programmed to provide program identifiers for each of the programs that satisfy the expression to the interactive television program guide client over the communications path.

20

25

47. A client-server interactive television program guide system for scheduling programs for recording according to user defined expressions, comprising:

30

user television equipment on which an interactive television program guide client is implemented, wherein the interactive television program guide client is programmed to provide a user with an opportunity to define an expression without requiring the user to navigate the Internet;

35

40

a communications path over which the expression is provided by the interactive television program guide client to a program guide server, wherein the program guide server is programmed to find programs that satisfy the expression and schedule the programs that satisfy the expression for recording.

45

48. The system defined in claim 47 wherein:
the user television equipment comprises
a storage device; and

50

the program guide server is further
programmed to schedule the programs that satisfy the
expression for recording by the storage device.

55

5

- 67 -

10

49. The system defined in claim 47 wherein the program guide server comprises a storage device on which the programs that satisfy the expression are stored.

15

50. A client-server interactive television program guide system for parentally controlling programs according to user defined expressions, comprising:

20

user television equipment on which an interactive television program guide client is implemented, wherein the interactive television program guide client is programmed to provide a user with an opportunity to define an expression without requiring the user to navigate the Internet;

25

30

a communications path over which the interactive television program guide client provides the expression to a program guide server, wherein the program guide server is programmed to find programs that satisfy the expression and lock programs that satisfy the expression.

35

40

51. The system defined in claim 50 wherein the program guide server is programmed to indicate to the interactive television program guide client the locked programs over the communications path; and

45

the interactive television program guide client is further programmed to indicate to the user the locked programs with the user television equipment.

50

52. A client-server interactive television program guide system for tracking a user's viewing history, comprising:

55

user television equipment on which an interactive television program guide client is

5

- 68 -

10

implemented, wherein the interactive television program guide client is programmed to provide viewing history information to a program guide server over a communications path, wherein:

15

the program guide server is programmed to find programs based on the viewing history information and to indicate the programs to the interactive television program guide client over the communications path; and

20

the interactive television program guide client is further programmed to indicate on the user television equipment a subset of the programs wherein the subset of the programs are programs that the user has not watched.

25

30

53. The system defined in claim 52 wherein the program guide server is further programmed to calculate user demographic values based on the viewing history information.

35

54. The system defined in claim 52 wherein:

40

the interactive television program guide client is further programmed to provide user preference information to the program guide server over the communications path; and

45

the program guide server is further programmed to obtain programs based on the user preference information and to indicate the programs to the interactive television program guide client.

50

55. The system defined in claim 54 wherein:

the program guide server is programmed to target advertisements based on the user preference information and to provide the advertisements to the

55

5

- 69 -

10

interactive television program guide client over the
communications path; and

15

the interactive television program guide
client is further programmed to display the
advertisements on the user television equipment.

20

56. The system defined in claim 54 wherein
the program guide server is further programmed to
collect program ratings information based on the
viewing history information.

25

30

35

40

45

50

55

1/39




FIG. 1




FIG. 2a




FIG. 2b




FIG. 2c

5/39

22




FIG. 3

6/39




FIG. 4

7/39


100

FIG. 5

8/39


130

FIG. 6

9/39

143




FIG. 7

10/39




FIG. 8a

11/39




FIG. 8b

12/39




FIG. 8c

141

13/39

SERVICE PROVIDER LOGO

12:01P

BRAND LOGO

SELECTABLE ADVERTISEMENT

SELECTABLE ADVERTISEMENT

147

SAVE AS AGENT

ACTOR

BRUCE WILLIS

AND

GENRE

ACTION

AND

START MIN

7:00P

AND

START MAX

11:00P

AND

END MIN

9:00P

AND

END MAX

1:30A

AND

SORT

ALPHABETICALLY

FIG. 9a

SUBSTITUTE SHEET (RULE 26)

14/39


149

FIG. 9b

15/39

1101




FIG. 10

16/39




FIG. 11

17/39


411

FIG. 12

18/39




FIG. 13a

19/39




FIG. 13b

SUBSTITUTE SHEET (RULE 26)

20/39




FIG. 13c

SUBSTITUTE SHEET (RULE 26)

21/39




FIG. 13d

SUBSTITUTE SHEET (RULE 26)

22/39




FIG. 13e




FIG. 13f

24/39


130

FIG. 14

25/39

<u>NARROW SCOPE</u>	<u>MODERATE SCOPE</u>	<u>WIDE SCOPE</u>	<u>TITLE</u>	<u>GENRE</u>	<u>CC</u>	<u>RATING</u>	<u>MANDATORY+ NOT ILLEGAL</u>	<u>HIGHEST LEVEL</u>
Y	Y	Y	SEINFELD	COMEDY	Y	TV-PG	Y	SL
N	N	Y	THE SHINING	HORROR	Y	PG-13	Y	WD
N	N	N	DANTE'S PEAK	COMEDY	Y	R	N	SL
N	N	N	NIGHT AT THE OPERA	COMEDY	N	G	N	SL
N	Y	Y	ER	DRAMA	Y	TV-PG	Y	NEUTRAL
N	N	Y	TERMINATOR	ACTION HORROR	Y	PG-13	Y	SD
N	Y	Y	MY STEPMOTHER IS AN ALIEN	COMEDY HORROR	Y	PG-13	Y	SL+WD

FIG. 15

26/39


130

FIG. 16a

27/39


130

FIG. 16b

28/39


130

FIG. 16c

161

29/39




FIG. 17a

SUBSTITUTE SHEET (RULE 26)

30/39

169




FIG. 17b




FIG. 18




FIG. 19




FIG. 20a

34/39




FIG. 20b

35/39




FIG. 20c




FIG. 21

37/39




FIG. 22

38/39





FIG. 23



INTERNATIONAL SEARCH REPORT

International Application No.

Pct/US 99/19051

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04N7/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>WO 94 14284 A (DISCOVERY COMMUNICAT INC) 23 June 1994 (1994-06-23)</p> <p>page 11, line 16 -page 13, line 30 page 15, line 22 -page 18, line 12 page 19, line 21 -page 21, line 10 page 32, line 11 -page 38, line 12 page 45, line 1 -page 46, line 3 page 59, line 11 -page 61, line 14 page 67, line 18 -page 70, line 32 figures 1-14</p> <p style="text-align: center;">--- -/-</p>	<p>1-4, 6-11, 14-23, 25-30, 33-42, 44-49, 52-56</p>

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"Z" document member of the same patent family

Date of the actual completion of the international search

18 November 1999

Date of mailing of the international search report

24/11/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3018

Authorized officer

Van der Zaal, R

INTERNATIONAL SEARCH REPORT

International Application No.

FE./US 99/19051

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 96 41478 A (TV GUIDE ON SCREEN) 19 December 1996 (1996-12-19) page 12, line 32 -page 15, line 24 page 16, line 18 -page 35, line 19 page 36, line 12 -page 39, line 11 figures 1-58 -----	1-13, 20-32, 39-51
A	WO 98 17064 A (GEMSTAR DEVELOPMENT CORPORATION) 23 April 1998 (1998-04-23) page 5, line 6 -page 7, line 11 -----	5,24,43

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PC./US 99/19051

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9641478 A		PL 323914 A	27-04-1998
WO 9817064 A	23-04-1998	AU 4823197 A	11-05-1998
		EP 0932979 A	04-08-1999

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.